



EDELHOLZ™
Original Massiv Parkett

DATA SHEET:
OAK STRAIGHT PLANK AND
HERRINGBONE/CHEVRON PARQUET

TRIPLEX PLANK 3×Oak

Length tolerance: +/- 3.0-5.0 mm Wood moisture: 5-9 %		RUSTIC	ASTIG	NATURE	SELECT	SUPERRUSTIC	AUTHENTIC (air-dried)
TRIPLEX	14×180 mm 1200/1500/1800/2100/(2300/2700) mm WL: appr. 4.0 mm	•	•	•	•	•	—
	14×220 mm 1500/1800/2100/(2300/2700) mm (max. 10% short pieces of 1200 mm calculated on m² can come along) WL: appr. 4.0 mm	•	•	•	•	•	—
	14×240 mm 1500/1800/2100/(2300/2700) mm (max. 10% short pieces of 1200 mm calculated on m² can come along) WL: appr. 4.0 mm	•	•	•	•	•	—
CHALET CLASSIC	14×125/180/240 mm 1200/1500/1800/2100/(2300/2700) mm WL: appr. 3.5-4.0 mm	•	—	—	—	—	—
LOFT only brushed	14×80 mm 1500 mm WL: appr. 3.5 mm	—	—	—	•	—	—
SUPERSOLID	20×180 mm 1200/1500/1800/2100/(2300/2700) mm WL: appr. 6.0 mm	•	•	•	•	—	—
	20×240 mm 1500/1800/2100/(2300/2700) mm (max. 10% short pieces of 1200 mm calculated on m² can come along) WL: appr. 6.0 mm	•	•	•	•	—	—
CHALET AUTHENTIC air-dried	16×180/220/240 mm 1200/1500/1800/2100/(2300/2700) mm WL: appr. 6.0 mm	—	—	—	—	—	•
	20×280/320/360 mm 2100/2300/2700/3000 mmm WL: appr. 6.0 mm	—	—	—	—	—	•

TRIPLEX HERRINGBONE 90° 3×Oak

Length tolerance: +/- 0.0 mm Wood moisture: 5-9 %		RUSTIC without sapwood	NATURE without sapwood	SELECT without sapwood	AUTHENTIC without sapwood
HERRINGBONE	14×80×580 mm WL: appr. 3.5 mm	•	•	•	—
	14×100×600 mm WL: appr. 4.0 mm	•	•	•	—
	14×125×750 mm WL: appr. 3.5 mm	•	•	•	—
	14×140×840 mm WL: appr. 3.5 mm	•	•	•	—
HERRINGBONE AUTHENTIC air-dried	16×100×600 mm WL: appr. 6.0 mm	—	—	—	•
	16×125×750 mm WL: appr. 6.0 mm	—	—	—	•

TRIPLEX CHEVRON 45°/60° 3×Oak

Length tolerance: +/- 0.0 mm Wood moisture: 5-9 %		RUSTIC without sapwood	NATURE without sapwood	SELECT without sapwood
CHEVRON	14×80×500/530 mm WL: appr. 3.5 mm	•	•	•
	14×100×500/550 mm WL: appr. 4.0 mm	•	•	•
	14×125×625/680 mm WL: appr. 3.5 mm	•	•	•
	14×140×700/760 mm WL: appr. 3.5 mm	•	•	•


Select

The almost knot-free surface of our finest grade radiates elegance and calm. The subtle grain and uniform colour pattern further enhance this effect and make it a favorite, especially for EDELHOLZ herringbone and chevron parquet floors.



Nature

This grade is characterized by an appealing colour pattern with a modest proportion of smaller knots, which are carefully sealed with putty. The result is a calm overall appearance that nevertheless impressively emphasizes the originality of the natural grain of the oak wood.



Astig

This is a special variant of our plank product range, which contains the overall calmer appearance of the NATURE grade described above and at the same time pays particular attention to carefully selected and beautiful knots, filled with the greatest care.




Rustic

A very popular grade that impresses with its natural vibrancy with knots and cracks, which creates an exciting surface appearance, especially with our large-format oak planks. Carefully repaired small to large knots and a few occasional sapwood pieces, combined with distinctive wood textures and a lively play of colours, create a rich diversity that is highly appreciated by EDELHOLZ customers.




Authentic

This grading, which is reserved for the impressive visual and tactile EDELHOLZ floors with an air-dried surface, emphasizes the organic surface textures created by this special drying method, the authenticity of which only the best oak wood can be produced. Selected, hand-filled knots and cracks also expressively emphasize the beauty and uniqueness of the air-dried surface.




Superrustic

An expressive sorting whose natural rusticity with small to large knots is additionally emphasized by carefully selected and hand-crafted cracks of different dimensions




Select

The almost knot-free surface of our finest grade radiates elegance and calm. The subtle grain and uniform colour pattern further enhance this effect and make it a favorite, especially for EDELHOLZ herringbone and chevron parquet floors.




Nature

This grade is characterized by an appealing colour pattern with a modest proportion of smaller knots, which are carefully sealed with putty. The result is a calm overall appearance that nevertheless impressively emphasizes the originality of the natural grain of the oak wood.



Rustic


A very popular grade that impresses with its natural vibrancy with knots and cracks, which creates an exciting surface appearance, especially with our large-format oak planks. Carefully repaired small to large knots and a few occasional sapwood pieces, combined with distinctive wood textures and a lively play of colours, create a rich diversity that is highly appreciated by EDELHOLZ customers.



TRIPLEX COMPOSITION - 100% HUNGARIAN OAK

The unique 3-layer-Oak parquet of Edelholz, where all the 3 layers are made of Hungarian Oak wood.


TRIPLEX convinces with excellent form stability and outstanding thermal characteristics: This is the best solution for underfloor heating system!




DIMENSIONS - HERRINGBONE & CHEVRON PARQUET




EDELHOLZ™
Original Massiv Parkett




Chevron 45°



Chevron 60°



Herringbone



Distance A

Chevron 45°

Chevron 60°

80/500 mm

707 mm

100/500 mm

707 mm

125/625 mm

884 mm

140/700 mm

990 mm

80/530 mm

918 mm

100/550 mm

953 mm

125/680 mm

1178 mm

140/760 mm

1316 mm

CERTIFICATIONS

Parquet

Flooring fire performance



C_{fl}-s1

Parquet formaldehyde emission



E1

Flooring biological durability

1. class

Flooring slip resistance classification

on dry: R13

on wet: R12

According to DIN 51130 standard,
tested by SRT method



The products of
EDELHOLZ comply to
the quality requirements
of the European market.



The mark of
responsible forestry

Materials originated
from responsible forest
management.
FSC® license number:
C119075



SKIRTING



Wood species: Hungarian oak
In random lengths produced, without finger joints.
Same colour and finishing as of the flooring.

Profile: R6, the front edge is slightly rounded, and the bottom is slant cut.

Dimension: 16×40 mm
16×60 mm



Wood species: Lacquered pine

Profile: With microbevels.

Dimension: 16×58×2400 mm
16×95×2400 mm



Wood species: Oak

Profile: Microbevelled on the top edges.

Dimension: ca. 20×25 mm