

# SAMOS 1000



Art.Nr. 048

Slightly flamed, oxidative natural oiled surface with saw marks and renovated effect

Wood species: Hungarian oak from sustainably managed, state-owned forests

## ASSORTMENT

### RUSTIC

A very lively assortment. Due to the colourfulness and diverse structure of natural wood this quality grade gives a real rustic effect.



### NATURE

A slightly quieter assortment. This quality grade preserves the genuineness of wood while showing a more relaxed and uniform picture than the rustic one.



### SELECT

Slight variation in colour and structure are showing the finest selection. The solid wood wall panel presents itself uniform and quiet at the highest level.



## CERTIFICATIONS

Formaldehyde emission


 Biological  
 durability  
**1. class**


 The products of EDELHOLZ  
 Kft. comply to the quality  
 requirements of the  
 European market.

 Materials originated  
 from responsible  
 forest management.  
 (FSC® license number:  
 C119075)

## WALL PANEL STRUCTURE



### TRIPLEX, 3-LAYER STRUCTURE

	TRIPLEX
Structure	3-layer oak (4,0 mm oak top layer, 6,0 mm oak middle layer, 4,0 mm oak back layer)
Installation to wall heating 	Not suitable
Wood species	Hungarian oak from sustainably managed, state-owned forests
Thickness	14 mm
Width	140/180/220/240 mm
Length	140 / 180 mm width: 900-2400 (2700) mm 220 / 240 mm width: 1500 – 2400 (2700) mm
Length distribution	In fixed length produced, with 300 mm differences within the length range. Length tolerance: +/- 3.00 – 5.00 mm In random lengths delivered, in fair length distribution.
Construction	Tongue and groove on all four sides, microbevel on all four sides
Assortment	Rustic / Nature / Select
Surface treatment	Oxidative natural oil
Moisture content	5 – 9% (according to EN 13 489 standard)
Tensile strength	Approx. 2,8 – 3,5 N/mm <sup>2</sup>
Weight	Approx. 10,5 kg/m <sup>2</sup>
Installation	Screwing on sub-construction

## WALL COVERING EDGE PROFILES


### EDGE PROFILE (CEILING OR SIDE WALL)



Same finishing as of the wall panel.

**Dimensions:** 30×4 mm (special size is available on request)

**Length:** 1200-2400 mm




Top view

### LED-PROFILE



Made of two pieces. Same finishing as of the wall panel.

**Dimensions:** 45×29 mm




Top view



## WALL COVERING EDGE PROFILES

### L-PROFILE




Made of two pieces of wood. Same finishing as of the wand panel.

**Dimensions:** 30×43 mm

### CUT PROFILE



The wall panel is at 90° cut



Top view